



မင်္ဂြုံခံခြံခြံ ဝာಜ పုံဖြံသာ THE ANDHRA PRADESH GAZETTE PUBLISHED BY AUTHORITY

W.No.33

AMARAVATI, THURSDAY, AUGUST 18, 2022

G.699

PART II - MISCELLANEOUS NOTIFICATIONS OF INTEREST TO THE PUBLIC

NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc.,

FOREST DEPARTMENT

Rc.No.478/2000/TO. Dated: 27-05-2022.

ANANTHAPURAMU DISTRICT AND DIVISION - **MINCHERI ADDL. BLOCK-IV** - HIDREHAL (V) OF D. HIREHAL MANDAL - C.A. LAND TO AN EXTENT OF 5.00 HA TAKEN CHARGE FROM M/S Y. MAHABALESWARAPPA & SONS, BELLARY - NOTIFICATION U/S 4 OF APF ACT, 1967 - APPROVED.

- Ref :- 1. G.O.Ms.No. 57, EFS&T (For.I) Dept., Dt: 22.03.2010:
 - 2. PCCFs Rc.No. 18671/2009/J1, Dated: 19.04.2010 and 27.12.2013.
 - 3. This office RC.NO.478/2000/T0. Dt: 10.03.2015, 15.11.2015. 26.10.2016, 27.10.2017 and 24.05.2021.

MINCHERI ADDITION BLOCK-IV RESERVE FOREST NOTIFICATION

In exercise of powers conferred by section 4 of the Andhra Pradesh Forest Act, 1967 (Act, 1 of 1967), the Governor of Andhra Pradesh, hereby declares that it is proposed to constitute the land transferred by the Mandal Revenue Officer D.Hirehal in favour of the Forest Department vide Proceeding No.R.Dis.6/99(B), dated 06.02.99 in lieu of the Forest Land diverted in favour of M/s. Y.Mahabableswarappa & Sons, Bellary in G.O.Ms.No.152, E.F.S&T. Department, dated 02.12.1999 towards compensatory afforestation within the boundaries specified in the Schedule below, as a "Reserved Forest" under the said Act and appoints the Forest Settlement Officer, Ananthapur as provided in Chapter – II of the said Act and also appoints the DFO, Ananthapur to attend on behalf of Government before the Forest Settlement Officer under the Chapter – II.

THE SCHEDULE

Name of the District	:	Ananthapur
Name of the Forest Division	:	Anantapur
Name of the Mandal	:	D. Hirehal
Name of the Village	:	Hirdehal
Name of the Forest Range	:	Kalyandurg
Name of the block proposed to be reserved	:	Mincheri Addition – IV
Area of the block proposed to be reserved	:	12.36 Acres (or) 5.00 Ha.

DETAILS OF AREAS INCLUDED IN THE BLOCK

Sl.No.	Name of the Village	Survey No.	Extent in Acres
1	Hirdehal	31-B1	2.82
2	Hirdehal	31-B2	2.12
3.	Hirdehal	32 – B	0.07
4	Hirdehal	33-B	4.99
5	Hirdehal	38-A2	2.36
			12.36 Acres or 5.00 Ha

BOUNDARY DESCRIPTION OF BIT - I

TIELINE:

The Tie line of Bit starts from 'A' which is the survey station No.22 of Mincheri Addition block – I, thence the Tie line runs in Southerly direction to station No.1 with the following magnetic bearing and distance.

STATIONS		Magnetic bearings in	Distance in Links	
FROM	- TO	degrees		
A	- /1	194	245	

North:

Thence the boundary line runs east, north west, south east and westerly direction to station No.5 with the following magnetic bearings and distances.

	STATIONS FROM - TO				Distance in Links	
1		2	83	797		
2	-	3	333	1130		
3	-	4	138	1500		
4	-	5	235	506		

East:

Thence the boundary line of the block runs generally to southerly direction to station No. 6 with the following magnetic bearing and distances.

STATIONS		NS	Magnetic bearings	Distance in Links
FRO	М -	TO	in degrees	
5		6	191	1177

South:

Thence the boundary line of the block runs generally to westerly direction to station No. 7 with the following magnetic bearing and distances.

STATIONS		NS	Magnetic bearings	Distance in Links
FR	OM -	то	in degrees	
6	, -	7	235	780

West:

Thence the boundary line of the block runs generally to northerly direction to station No. 1 which is the starting point of this block with the following magnetic bearing and distances.

ST.	ATIC M -		Magnetic bearings in degrees	Distance in Links
7	-	8	20	191
8	-	9	340	80
9	-	10	30	292
10	-	1	14	794

BOUNDARY DESCRIPTION OF BIT - II

TIELINE:

The Tie line of Bit starts from 'A' which is the survey station No.6 of Mincheri Addition block – I, thence the Tie line runs to survey station No.1 with the following magnetic bearing and distance.

STATIONS		Magnetic bearings	Distance in Links
FROM -	TO	in degrees	
Α -	1	11	240

North:

Thence the boundary line of this block runs easterly direction to station No. 2 with the following magnetic bearing and distance.

STATIONS FROM - TO			Magnetic bearings in degrees	Distance in Links	
1	-	2	50	1070	

East:

Thence the boundary line of this block runs southerly direction to station No. 3 with the following magnetic bearing and distance.

STATIONS	Magnetic bearings	Distance in Links
FROM - TO	in degrees	
2 - 3	166	191

South:

Thence the boundary line of this block runs westerly direction to station No. 4

with the following magnetic bearing and distance.

Magnetic bearings	Distance in Links
in degrees	
222	1075
	in degrees

West:

Thence the boundary line of this block runs northerly direction to station No. 1

Which is the starting point of this block with the following magnetic bearing and distance.

S	Magnetic bearings	Distance in Links
TO	in degrees	
1	334	250
		TO in degrees

REMARKS :-

- (1) There no enclosures to be admitted with in the block
- (2) There are no right of ways to be admitted with in the block

JANAKI R. KONDAPI,

Special Chief Secretary to Government.

మించేరి ఆడిషస్ $\overline{\underline{\mathbb{M}}}$ రిజర్వు అడవి బ్లాకు ప్రకటన

1967 ఆంధ్రప్రదేశ్ ఆటవీ చట్టం (1967లో 1.వ చట్టం) లోని 4.వ విభాగం ద్వారా లభించిన అధికారలను పురస్కరించుకొని ఆంధ్రప్రదేశ్ గవర్నరు గారు, ఈ క్రిందో అనుసూచికలో నిర్శిష్టవరచిన సరిహద్దులలోపల గల భూమిని, సదరు అటవి చట్టం క్రింద రిజర్వు అడవిగా ఏర్పాటుచేయాలని ప్రతిపాదించడం జరిగితోడు ఇందు మూలంగా ప్రకటిస్త్రూ సదరు భూమికి సంబంధించి ఏపైనా అక్షేషణలు ఉన్నట్లయితే వాటిని పరశిలించడానిక్కి అట్టి పరిదిలోపల ఉన్నట్టి ఏదైనా భూమిలో లేదా దానిమీద, లేక అట్టి భూమిలోని ఏదైనా అటవీ వృత్తిని ఎవరైనా వ్యక్తి క్లైముచేసిన లేదా అయవరంగా ఉన్నదని ఆరోపించబడిన ఏపైనా హక్కుల యొక్క అస్థిత్వాన్ని స్వభావాన్ని విస్తృతిని గురించి విచారించి నిర్ణయించడానికి సదరు చెట్టం 2వ అద్యాయంలో నిబంధించినటుగా వాటితో వ్యవహరించడానికి అనంతపురములోని అటవీ సెటిల్ముంట్

నిబంధించినట్లుగా వాటితో వ్యవహరించడానికి అనంతపురములోని అటవీ సెటిల్మెంట్ ^{ట్రట్వార}, అటవీ సెటిల్మెంట్ ^{ట్రట్వార}, అదికారిగా నియమింపబడినారు.

అనుసూచిక

1) జిల్లా పేరు : అనంతపురం

2)మండలము : డి.హీరేహళు

3) గ్రామము పేరు : హిర్గేహళ్

4) ఆటవీ మండలము పేరు : అనంతపురం

5) ఆటవి క్షేత్రము పేరు :కళ్యాణదుర్గం

6) రిజిర్వు అడవిగా ప్రతిపాదించిన బ్లాకు పేరు : మించేరి ఆడిషన్ 🍱

7) రిజిర్వు ఆడవిగా ప్రతిపాదించిన బ్లాకు విస్తిర్ణము : 12.36 ఎకరములు లేదా 5.00 హెక్టార్లు

ప్రతిపాదించిన బ్లాకులో చేర్చిన భూములు విస్తిర్ణం వివరములు

_		_	69	
వరస సంఖ్య	మండలము పేరు	గ్రామముపేరు	సర్వే వంబర్	విస్తిర్ణము (ఏకరాలలో)
1	డి.హిరేహళు	హిర్దేహళ్	31.B1	2.82
2.	డి.హీరేహళు	హిర్దేహళ్	31.B2	2.12
3.	డి.హిరేహళు	హిర్దేహళ్	32.B	0.07
4.	డి.హీరేహళు	హిర్దేహళ్	33.B	4.99
5.	డి.హిరేహళు	హిర్దే హళ్	38A2_	2.36
				12.36 ఎ(లేదా)
				5.00 హె
				4

బిట్ 1 యొక్క సరిహద్దుల వర్ణన

<u>టెలైను.</u>

ఈ పారెస్టు బ్లాకు యొక్క టైలైను స్టేషన్ నంబర్ A(A) అనగా మించేరి అడిషన్ బ్లాక్1 యొక్క సర్వే స్ట్రేషన్ నంబర్ 22గా ఉన్నది) నుండి సర్వే స్టేషన్ న01.వరకు ఈ క్రింద మేగ్నటిక్ బేరింగ్లు మరియు దూరం కొలతల ప్రకారము పెళ్ళును.

స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్(డిగ్రిలలో)	దూరము(లింకులు)
నుండి –వరకు		
A-1	194	245
	-> miles - 2	

<u>ఉత్తరము</u>:- స్టేషన్ సెం 1 నుండి ఈ సరిహద్దు లైను సాధారణముగా తూర్పు:- వాయువ్యుము ఆగ్నియము మరియు పడమట దిశలలో తిరుగుతూ ఈ క్రింద కనపరచిన మీగ్నతిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 5 ను కలియుటకు పెళ్ళును

స్టేషన్ సెంబర్లు		మేగ్నటిక్ బేరింగ్(డిగ్రిలలో)	దూరమ	ు (లింకులు)	
నుండి –వరకు						
1-2		83		797	-1	
2-3		333		1130		
3-4		138		1500	r	
4-5		235		506		
	· . *	. 100 , 11.	4-			<i>i</i> •

తూర్పు:- అచ్చటి నుండి ఈ సరిహద్దు లైన సాధారణముగా దక్షిణ దిశాగా పయనించి ఈ క్రింద కనపరచిన మేగ్నటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 6 ను కలియుటకు పెళ్ళును

స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్ (డిగ్రెలలో)	దూరము (లింకులు)
నుండి –వరకు		
5-6	191	1177

దక్షిణము:- స్టేషన్ నంబర్ 6 నుండి ఈ సరిహద్దు లైన సాధారణముగా పడమటి దిశాగా ఈ క్రింద కనపరచిన మేగ్నటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 7 కాంయాట్స్లు మ పెళ్ళును

స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్(డిగ్రిలలో)	దూరము(బింకులు)
నుండి –వరకు		
6-7	235	780

పడమర:- అచ్చట నుండి ఈ సరిహద్దు లైను సాధారణముగా ఉత్తర దిశాగా ఈ క్రింద కనపరచిన మేగ్నటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 1 (ప్రథమ) వరకు పఠములో రేఖా చిత్రం పేయబడిన ప్రకారము పెళ్ళును

స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్ (డిగ్రిలలో)	దూరము(లింకులు)
నుండి –వరకు		
7-8 8-9 9-10 10-1	20 340 30 14	191 80 292 794

బిట్ 2 యొక్క సరిహద్దుల వర్ణన

<u>టైలైను.</u>

ఈ పారెస్టు బ్లాకు యొక్క టైలైను స్టేషన్ నంబర్ A(A) అనగా మించేరి అడిషన్ బ్లాక్1 యొక్క సర్వే స్తేషన్ నంబర్ 6గా ఉన్నది) నుండి సర్వే స్టేషన్ న01.వరకు ఈ క్రింద కనపరచిన మేగ్సటిక్ బేరింగ్లు మరియు దూరం కొలతల ప్రకారము పెళ్ళును.

ప్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్ (డిగ్రిలలో)	దూరము(లింకులు)
నుండి –వరకు	*	
A-1	11	240

<u>ఉత్తరము</u>:- స్టేషన్ సెం 1 నుండి ఈ సరిహద్దు లైను తూర్పు పైపు ఈ క్రింద కనపరచిన మేగ్నటిక్ బేరింగ్ మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 2 ను కలియుటకు పెళ్ళును

	స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్(డిగ్రెలలో)	దూరము (రీంకులు)
	నుండి –వరకు		
	1-2	50	1070
		4	•
÷.	2.01.5		. 1

తూర్పు:- అచ్చటి నుండి ఈ సరిహద్దు లైన సాధారణముగా దక్షిణ దిశాగా ఈ క్రింద కనపరచిన మేగ్నటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 3 ను కలీయుటకు పెళ్ళును

స్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్ (డిగ్రిలలో)	దూరము(లింకులు)
నుండి –వరకు		
2-3	166	191

దక్షిణము:- అచ్చట నుండి ఈ సరిహద్ద లైను సాధారణముగా పడమటి దిశాగా పైపు పయనించి స్టేషన్ నంబర్ 4 ను ఈ క్రింద తెలిపిన మేగ్నటిగ్ బెరీంగ్ దురము కొలతల ప్రకారము కలియును

ప్టేషన్ సెంబర్లు	మేగ్నటిక్ బేరింగ్(డిగ్రిలలో)	దూరము(లింకులు)
నుండి –వరకు		
3-4	222	1075
	1	

<u>పడమర</u>:- స్టేషన్ నంబర్ 4 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఉత్తర దిశా పైపు పయనించి ఈ క్రింద తెలిపిన మేగ్నటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము స్టేషన్ నంబర్ 1(ప్రథమ) వరకు పటములో రేఖా చిత్రం పేయబడిన ప్రకారము పెళ్ళును

స్టేషన్ పెంబర్లు నుండి –వరకు	మేగ్నటిక్ బేరింగ్ (డిగ్రిలలో)	దూరము(లింకులు)
4-1	334	250

రిమార్కులు:

- 1) ప్రతిపాదించిన బ్లాకు యందు అనుమతించవలసిన ఎస్ క్లోజర్స్ ఏమియు లేవు
- 2) ప్రతిపాదించిన బ్లాకు యందు అనుమతించవలసిన బాట హక్కులు ఏమియు లేవు

JANAKI R. KONDAPI,

Special Chief Secretary to Government.

---X---